


# Z8560 /...

PFA Hochtemperaturschlauch  
PFA High temperature hose  
Tube pour haute température en PFA

Mat.: PFA



Medium	max. C°
Luft/air/air	200°
Öl/oil/huile	200°
Wasser/water/eau	200°



Neu / New / Nouveau

style	p [bar]	min. r	sw1	d3	d1	d2	l1	Typ	Nr./No.
blau/blue/bleu	65	50	17	20	9	M14x1,5	300	1	Z8560/ 9x14x1,5x 300/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	500	50	17	20	9	M14x1,5	500	1	500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	750	50	17	20	9	M14x1,5	750	1	750/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	1000	50	17	20	9	M14x1,5	1000	1	1000/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	1500	50	17	20	9	M14x1,5	1500	1	1500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	2000	50	17	20	9	M14x1,5	2000	1	2000/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	2500	50	17	20	9	M14x1,5	2500	1	2500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	65	50	17	20	9	G1/4	300	1	Z8560/ 9x G1/4 x 300/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	500	50	17	20	9	G1/4	500	1	500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	750	50	17	20	9	G1/4	750	1	750/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3


# Z8560 /...

PFA Hochtemperaturschlauch  
PFA High temperature hose  
Tube pour haute température en PFA

Mat.: PFA



Medium	max. C°
Luft/air/air	200°
Öl/oil/huile	200°
Wasser/water/eau	200°



Neu / New / Nouveau

style	p [bar]	min. r	sw1	d3	d1	d2	l1	Typ	Nr./No.			
blau/blue/bleu	65	50	17	20	9	G 1/4	1000	1	Z8560/ 9x G1/4 x 1000/1			
rot/red/rouge								2	/2			
schwarz/black/noir								3	/3			
blau/blue/bleu								1500	1	1500/1		
rot/red/rouge									2	/2		
schwarz/black/noir									3	/3		
blau/blue/bleu								2000	1	2000/1		
rot/red/rouge											2	/2
schwarz/black/noir											3	/3
blau/blue/bleu	2500	1	2500/1									
rot/red/rouge				2	/2							
schwarz/black/noir				3	/3							
blau/blue/bleu	60	60	19	23	13	M16x1,5	300	1	Z8560/13x16x1,5x 300/1			
rot/red/rouge								2	/2			
schwarz/black/noir								3	/3			
blau/blue/bleu							500	1	500/1			
rot/red/rouge										2	/2	
schwarz/black/noir										3	/3	
blau/blue/bleu							750	1	750/1			
rot/red/rouge										2	/2	
schwarz/black/noir										3	/3	
blau/blue/bleu	1000	1	1000/1									
rot/red/rouge				2	/2							
schwarz/black/noir				3	/3							
blau/blue/bleu	1500	1	1500/1									
rot/red/rouge				2	/2							
schwarz/black/noir				3	/3							
blau/blue/bleu	2000	1	2000/1									
rot/red/rouge				2	/2							
schwarz/black/noir				3	/3							


# Z8560 /...

PFA Hochtemperaturschlauch  
 PFA High temperature hose  
 Tube pour haute température en PFA

Mat.: PFA



Medium	max. C°
Luft /air/air	200°
Öl /oil /huile	200°
Wasser / water / eau	200°



Neu / New / Nouveau

style	p [bar]	min. r	sw1	d3	d1	d2	l1	Typ	Nr./No.
blau/blue/bleu	60	60	19	23	13	M16x1,5	2500	1	Z8560/13x16x1,5x2500 /1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	300	1	Z8560/13x G3/8 x 300/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	500	1	500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	750	1	750/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	1000	1	1000/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	1500	1	1500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	2000	1	2000/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3
blau/blue/bleu	60	60	22	23	13	G3/8	2500	1	2500/1
rot/red/rouge								2	/2
schwarz/black/noir								3	/3